

1/10

SEQUENCE LISTING

<110> Co, Man Sung  
Vasquez, Maximiliano  
Carreno, Beatriz  
Celniker, Abbie Cheryl  
Collins, Mary  
Goldman, Samuel  
Gray, Gary S.  
Knight, Andrea  
O'Hara, Denise  
Rup, Bonita  
Veldman, Geertruida M.

<120> HUMANIZED IMMUNOGLOBULIN REACTIVE WITH  
B7-2 AND METHODS OF TREATMENT THEREWITH

<130> GI-5315

<140> 09/249,011

<141> 1999-02-12

<160> 20

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 405

<212> DNA

<213> Murine anti-B7-2 heavy chain

<220>

<221> CDS

<222> (1)...(405)

<223>

<400> 1	
atg ggt tgg aac tgt atc atc ttc ttt ctg gtt aca aca gct aca ggt	48
Met Gly Trp Asn Cys Ile Ile Phe Phe Leu Val Thr Thr Ala Thr Gly	
1 5 10 15	
gtg cac tcc cag gtc cag ctg cag cag tct ggg cct gag ctg gtg agg	96
Val His Ser Gln Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Arg	
20 25 30	

JCS42 U.S. PRO  
09/627896  
07/27/00

2/10

cct ggg gaa tca gtg aag att tcc tgc aag ggt tcc ggc tac aca ttc	144
Pro Gly Glu Ser Val Lys Ile Ser Cys Lys Gly Ser Gly Tyr Thr Phe	
35 40 45	
act gat tat gct ata cag tgg gtg aag cag agt cat gca aag agt cta	192
Thr Asp Tyr Ala Ile Gln Trp Val Lys Gln Ser His Ala Lys Ser Leu	
50 55 60	
gag tgg att gga gtt att aat att tac tat gat aat aca aac tac aac	240
Glu Trp Ile Gly Val Ile Asn Ile Tyr Tyr Asp Asn Thr Asn Tyr Asn	
65 70 75 80	
cag aag ttt aag ggc aag gcc aca atg act gta gac aaa tcc tcc agc	288
Gln Lys Phe Lys Gly Lys Ala Thr Met Thr Val Asp Lys Ser Ser Ser	
85 90 95	
aca gcc tat atg gaa ctt gcc aga ttg aca tct gag gat tct gcc atc	336
Thr Ala Tyr Met Glu Leu Ala Arg Leu Thr Ser Glu Asp Ser Ala Ile	
100 105 110	
tat tac tgt gca aga gcg gcc tgg tat atg gac tac tgg ggt caa gga	384
Tyr Tyr Cys Ala Arg Ala Ala Trp Tyr Met Asp Tyr Trp Gly Gln Gly	
115 120 125	
acc tca gtc acc gtc tcc tca	405
Thr Ser Val Thr Val Ser Ser	
130 135	

<210> 2  
 <211> 135  
 <212> PRT  
 <213> Murine anti-B7-2 heavy chain

<400> 2

Met Gly Trp Asn Cys Ile Ile Phe Phe Leu Val Thr Thr Ala Thr Gly	
1 5 10 15	
Val His Ser Gln Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Val Arg	
20 25 30	
Pro Gly Glu Ser Val Lys Ile Ser Cys Lys Gly Ser Gly Tyr Thr Phe	
35 40 45	
Thr Asp Tyr Ala Ile Gln Trp Val Lys Gln Ser His Ala Lys Ser Leu	
50 55 60	
Glu Trp Ile Gly Val Ile Asn Ile Tyr Tyr Asp Asn Thr Asn Tyr Asn	
65 70 75 80	
Gln Lys Phe Lys Gly Lys Ala Thr Met Thr Val Asp Lys Ser Ser Ser	
85 90 95	
Thr Ala Tyr Met Glu Leu Ala Arg Leu Thr Ser Glu Asp Ser Ala Ile	
100 105 110	
Tyr Tyr Cys Ala Arg Ala Ala Trp Tyr Met Asp Tyr Trp Gly Gln Gly	
115 120 125	
Thr Ser Val Thr Val Ser Ser	
130 135	

<210> 3  
 <211> 396  
 <212> DNA  
 <213> Murine anti-B7-2 light chain

<220>  
 <221> CDS  
 <222> (1)...(396)

<400> 3  
 atg gat tca cag gcc cag gtt ctt ata ttg ctg ctg cta tgg gta tct 48  
 Met Asp Ser Gln Ala Gln Val Leu Ile Leu Leu Leu Trp Val Ser  
 1 5 10 15  
 ggt acc tgt ggg gac att gtg ctg tca cag tct cca tcc tcc ctg gct 96  
 Gly Thr Cys Gly Asp Ile Val Leu Ser Gln Ser Pro Ser Ser Leu Ala  
 20 25 30  
 gtg tca gca gga gag aag gtc act atg agc tgc aaa tcc agt cag agt 144  
 Val Ser Ala Gly Glu Lys Val Thr Met Ser Cys Lys Ser Ser Gln Ser  
 35 40 45  
 ctg ctc aac agt aga acc cga gag aac tac ttg gct tgg tac cag cag 192  
 Leu Leu Asn Ser Arg Thr Arg Glu Asn Tyr Leu Ala Trp Tyr Gln Gln  
 50 55 60  
 aaa cca ggg cag tct cct aaa ctg ctg atc tac tgg gca tcc act agg 240  
 Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg  
 65 70 75 80  
 gaa tct ggg gtc cct gat cgc ttc aca ggc agt gga tct ggg aca gat 288  
 Glu Ser Gly Val Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp  
 85 90 95  
 ttc act ctc acc atc agc agt gtg cag gct gaa gac ctg gca gtt tat 336  
 Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr  
 100 105 110  
 tac tgc acg caa tct tat aat ctt tac acg ttc gga ggg ggg acc aag 384  
 Tyr Cys Thr Gln Ser Tyr Asn Leu Tyr Thr Phe Gly Gly Gly Thr Lys  
 115 120 125  
 ctg gaa ata aaa 396  
 Leu Glu Ile Lys  
 130

<210> 4  
 <211> 132  
 <212> PRT  
 <213> Murine anti-B7-2 light chain

<400> 4  
 Met Asp Ser Gln Ala Gln Val Leu Ile Leu Leu Leu Leu Trp Val Ser  
 1 5 10 15  
 Gly Thr Cys Gly Asp Ile Val Leu Ser Gln Ser Pro Ser Ser Leu Ala  
 20 25 30  
 Val Ser Ala Gly Glu Lys Val Thr Met Ser Cys Lys Ser Ser Gln Ser  
 35 40 45  
 Leu Leu Asn Ser Arg Thr Arg Glu Asn Tyr Leu Ala Trp Tyr Gln Gln  
 50 55 60  
 Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg  
 65 70 75 80  
 Glu Ser Gly Val Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp  
 85 90 95  
 Phe Thr Leu Thr Ile Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr  
 100 105 110  
 Tyr Cys Thr Gln Ser Tyr Asn Leu Tyr Thr Phe Gly Gly Gly Thr Lys  
 115 120 125  
 Leu Glu Ile Lys  
 130

<210> 5  
 <211> 405  
 <212> DNA  
 <213> Humanized murine anti-human B7-2 heavy chain

<220>  
 <221> CDS  
 <222> (1)...(405)

<400> 5  
 atg ggt tgg aac tgt atc atc ttc ttt ctg gtt acc aca gct aca ggt 48  
 Met Gly Trp Asn Cys Ile Ile Phe Phe Leu Val Thr Thr Ala Thr Gly  
 1 5 10 15  
 gtg cac tcc cag gtc cag ctg gtg cag tct ggg gct gag gtg aag aag 96  
 Val His Ser Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys  
 20 25 30  
 cct ggg agc tca gtg aag gtg tcc tgc aaa gct tcc ggc tac aca ttc 144  
 Pro Gly Ser Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe  
 35 40 45  
 act gat tat gct ata cag tgg gtg aga cag gct cct gga cag ggc ctc 192  
 Thr Asp Tyr Ala Ile Gln Trp Val Arg Gln Ala Pro Gly Gln Gly Leu  
 50 55 60  
 gag tgg att gga gtt att aat att tac tat gat aat aca aac tac aac 240  
 Glu Trp Ile Gly Val Ile Asn Ile Tyr Tyr Asp Asn Thr Asn Tyr Asn  
 65 70 75 80  
 cag aag ttt aag ggc aag gcc aca atg act gta gac aag tcg acg agc 288  
 Gln Lys Phe Lys Gly Lys Ala Thr Met Thr Val Asp Lys Ser Thr Ser  
 85 90 95

5/10

aca gcc tat atg gaa ctt agt tct ttg aga tct gag gat acg gcc gtt 336  
Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val  
100 105 110

tat tac tgt gca aga gcg gcc tgg tat atg gac tac tgg ggt caa ggt 384  
Tyr Tyr Cys Ala Arg Ala Ala Trp Tyr Met Asp Tyr Trp Gly Gln Gly  
115 120 125

acc ctt gtc acc gtc tcc tca 405  
Thr Leu Val Thr Val Ser Ser  
130 135

<210> 6

<211> 135

<212> PRT

<213> Humanized murine anti-human B7-2 heavy chain

<400> 6

Met Gly Trp Asn Cys Ile Ile Phe Phe Leu Val Thr Thr Ala Thr Gly  
1 5 10 15  
Val His Ser Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys  
20 25 30  
Pro Gly Ser Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe  
35 40 45  
Thr Asp Tyr Ala Ile Gln Trp Val Arg Gln Ala Pro Gly Gln Gly Leu  
50 55 60  
Glu Trp Ile Gly Val Ile Asn Ile Tyr Tyr Asp Asn Thr Asn Tyr Asn  
65 70 75 80  
Gln Lys Phe Lys Gly Lys Ala Thr Met Thr Val Asp Lys Ser Thr Ser  
85 90 95  
Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val  
100 105 110  
Tyr Tyr Cys Ala Arg Ala Ala Trp Tyr Met Asp Tyr Trp Gly Gln Gly  
115 120 125  
Thr Leu Val Thr Val Ser Ser  
130 135

<210> 7

<211> 396

<212> DNA

<213> Humanized murine anti-human B7-2 light chain

<220>

<221> CDS

<222> (1)...(396)

<400> 7

atg gat tca cag gcc cag gtt ctt ata ttg ctg ctg cta tgg gta tct 48  
Met Asp Ser Gln Ala Gln Val Leu Ile Leu Leu Leu Trp Val Ser  
1 5 10 15

ggc acc tgt ggg gac att gtg ctg aca cag tct cca gat tcc ctg gct 96  
 Gly Thr Cys Gly Asp Ile Val Leu Thr Gln Ser Pro Asp Ser Leu Ala  
                   20                                  25                                  30

gta agc tta gga gag agg gcc act att agc tgc aaa tcc agt cag agt 144  
 Val Ser Leu Gly Glu Arg Ala Thr Ile Ser Cys Lys Ser Ser Gln Ser  
                   35                                  40                                  45

ctg ctc aac agt aga acc cga gag aac tac ttg gct tgg tac cag cag 192  
 Leu Leu Asn Ser Arg Thr Arg Glu Asn Tyr Leu Ala Trp Tyr Gln Gln  
                   50                                  55                                  60

aaa cca ggg cag cct cct aaa ctg ctg atc tac tgg gca tcc act agg 240  
 Lys Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg  
                   65                                  70                                  75                                  80

gaa tct ggg gtc cct gat cgc ttc agt ggc agt gga tct ggg aca gat 288  
 Glu Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp  
                                   85                                  90                                  95

ttc act ctc acc atc agc agt ctg cag gct gaa gac gtg gca gtt tat 336  
 Phe Thr Leu Thr Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr  
                   100                                  105                                  110

tac tgc acg caa tct tat aat ctt tac acg ttc gga cag ggg acc aag 384  
 Tyr Cys Thr Gln Ser Tyr Asn Leu Tyr Thr Phe Gly Gln Gly Thr Lys  
                   115                                  120                                  125

gtg gaa ata aaa 396  
 Val Glu Ile Lys  
                   130

<210> 8

<211> 132

<212> PRT

<213> Humanized murine anti-human B7-2 light chain

<400> 8

Met Asp Ser Gln Ala Gln Val Leu Ile Leu Leu Leu Leu Trp Val Ser  
   1                                  5                                  10                                  15  
 Gly Thr Cys Gly Asp Ile Val Leu Thr Gln Ser Pro Asp Ser Leu Ala  
                   20                                  25                                  30  
 Val Ser Leu Gly Glu Arg Ala Thr Ile Ser Cys Lys Ser Ser Gln Ser  
                   35                                  40                                  45  
 Leu Leu Asn Ser Arg Thr Arg Glu Asn Tyr Leu Ala Trp Tyr Gln Gln  
                   50                                  55                                  60  
 Lys Pro Gly Gln Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg  
   65                                  70                                  75                                  80  
 Glu Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp  
                   85                                  90                                  95  
 Phe Thr Leu Thr Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr  
                   100                                  105                                  110

ggc  
Gly

```
<220>
<223> CDR1 of humanized murine anti-human B7-2 heavy
      chain
<221> CDS
<222> (1)...(15)
```

15

```
<220>
<223> CDR1 of humanized murine anti-human B7-2 heavy
      chain
```

```
<210> 11
<211> 51
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> CDR2 of humanized murine anti-human B7-2 heavy
      chain
```

```
<221> CDS
<222> (1) . . . (51)
```

48

51

<210> 12  
 <211> 17  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> CDR2 of humanized murine anti-human B7-2 heavy  
 chain

<400> 12  
 Val Ile Asn Ile Tyr Tyr Asp Asn Thr Asn Tyr Asn Gln Lys Phe Lys  
 1 5 10 15  
 Gly

<210> 13  
 <211> 21  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> CDR3 of humanized murine anti-human B7-2 heavy  
 chain

<221> CDS  
 <222> (1)...(21)

<400> 13  
 gcg gcc tgg tat atg gac tac 21  
 Ala Ala Trp Tyr Met Asp Tyr  
 1 5

<210> 14  
 <211> 7  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> CDR3 of humanized murine anti-human B7-2 heavy  
 chain

<400> 14  
 Ala Ala Trp Tyr Met Asp Tyr  
 1 5

<210> 15  
 <211> 51  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> CDR1 of humanized murine anti-human B7-2 light  
 chain



&lt;221&gt; CDS

&lt;222&gt; (1)...(51)

&lt;400&gt; 15

aaa	tcc	agt	cag	agt	ctg	ctc	aac	agt	aga	acc	cga	gag	aac	tac	ttg	48
Lys	Ser	Ser	Gln	Ser	Leu	Leu	Asn	Ser	Arg	Thr	Arg	Glu	Asn	Tyr	Leu	
1				5					10					15		

gct																51
Ala																

&lt;210&gt; 16

&lt;211&gt; 17

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; CDR1 of humanized murine anti-human B7-2 light chain

&lt;400&gt; 16

Lys	Ser	Ser	Gln	Ser	Leu	Leu	Asn	Ser	Arg	Thr	Arg	Glu	Asn	Tyr	Leu	
1				5					10					15		
Ala																

&lt;210&gt; 17

&lt;211&gt; 21

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; CDR2 of humanized murine anti-human B7-2 light chain

&lt;221&gt; CDS

&lt;222&gt; (1)...(21)

&lt;400&gt; 17

tgg	gca	tcc	act	agg	gaa	tct										21
Trp	Ala	Ser	Thr	Arg	Glu	Ser										
1				5												

&lt;210&gt; 18

&lt;211&gt; 7

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; CDR2 of humanized murine anti-human B7-2 light chain

<400> 18  
 Trp Ala Ser Thr Arg Glu Ser  
 1 5

<210> 19  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> CDR3 of humanized murine anti-human B7-2 light  
 chain

<221> CDS  
 <222> (1)...(24)

<400> 19  
 acg caa tct tat aat ctt tac acg  
 Thr Gln Ser Tyr Asn Leu Tyr Thr  
 1 5

24

<210> 20  
 <211> 8  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> CDR3 of humanized murine anti-human B7-2 light  
 chain

<400> 20  
 Thr Gln Ser Tyr Asn Leu Tyr Thr  
 1 5